




BEST AVAILABLE COPY













Fig. 2(c)













Fig. 4 (c)







Computer generated SAR plot of the 4.5mm applicator in cross section.

Fig. 6(b)




Fig.7(a)





Fig. 7(c)


PCT/EP2004/010928 WO 2005/034783 6/14 802 204 В (a) 804 (b) 208 (c) 804 (d)

Fig. 8

☐ Dielectric
☐ FEP
☐ Coaxial cable
☐ Aluminium ferrule





Monitor Mains Power



STOP

Fig.10(b)








Fig.13





Fig. 14

12 / 14








Fig.15



P,	۴2	P3	ρ4	P5	P6	1 17		PN
C,	C 5	C 3	Cų	CS	C6	C7	• • •	CN
	(c2-C1)R	(c3-C2)R	(c4-C3)R	(C5-C4)R	(C6-(5)R	(C7-C6)R	• • •	(Cn-Cn-1)e
		•				(c)	<u> </u>

Fig.17



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.